

Enterprise



Cloud Service

CONTENT

⊃	9	α
	а	ч
		$\mathbf{\mathbf{\mathcal{C}}}$

- 3 WEB SERVICES
- 3 GetSalesByDateRange
- 4 GetSales
- 4 UpdateInventory
- 5 GetCancelledOrdersByDateRange
- 6 GetReturns
- 6 GetPayments

WEB SERVICES

http://www.selbuk.com/store/files/salescontrol/webservice/SBQB/WebService_GetSales.cfc?wsdl

GetSalesByDateRange:

• **Method:** GetSalesByDateRange

Parameters:

Field	Description	Туре	Required
Mytoken	String sent on the authenticate method	String	YES
Startdate	Initial date	Date	YES
Enddate	Enddate	Date	YES
Status	0 Unshipped, 1 Shipped	String	NO
Page	Default value: 0 , you will send this field in sequence value depending of TAG "moreRecords" in the answer of the XML.	Numeric	NO

Value	Kind of Answer
0	Startdate or enddate is not received.
1	Mytoken is not received.
2	Mytoken does not match.
3	No orders in that date range.
4	There are no orders on that date range.
5	Orders details not found.
XML with orders	XML with orders

GetSales

• Method: GetSales

• Parameters:

Field	Description	Туре	Required
Mytoken	String sent on the authenticate method	String	YES
Order	Order number to look for	String	YES

Error codes

Value	Kind of Answer
0	Mytoken or order is not received.
1	Mytoken does not match.
2	Order not found.
3	Order detail not found.
XML with orders	XML with orders

UpdateInventory

• **Method:** UpdateInventory

• Parameters:

Field	Description	Туре	Required
Mytoken	String sent on the authenticate method	String	YES
Sku	Code	String	YES
Quantity	Quantity	Numeric	YES

Value	Kind of Answer
0	Sku or quantity is not received.
1	Mytoken is not received.

2	Mytoken does not match.
3	code not found.
4	No error, successful transaction

${\sf GetCancelledOrdersByDateRange}$

• **Method:** GetCancelledOrdersByDateRange

• Parameters:

Field	Description	Туре	Required
Mytoken	String sent on the authenticate method	String	YES
Startdate	Initial date	Date	YES
Enddate	Enddate	Date	YES
Status	0 Unshipped, 1 Shipped	String	NO
Page	Default value: 0 , you will send this field in sequence value depending of TAG "moreRecords" in the answer of the XML.	Numeric	NO

Value	Kind of Answer
0	Startdate or enddate is not received.
1	Mytoken is not received.
2	Mytoken does not match.
3	No orders in that date range
4	There are no orders on that date range.
5	Orders details not found.
XML with orders	XML with orders

GetReturns

• Method: GetReturns

• Parameters:

Field	Description	Туре	Required
Mytoken	String sent on the authenticate method	String	YES
Startdate	Initial date	Date	YES
Enddate	Enddate	Date	YES
Status	0: Inactive, 1:Active,2:Delete y "" ALL	String	NO
Page	Default value: 0 , you will send this field in sequence value depending of TAG "moreRecords" in the answer of the XML.	Numeric	NO

Error codes

Value	Kind of Answer
0	Startdate or enddate is not received.
1	Mytoken is not received.
2	Mytoken does not match.
3	No returns in that date range
4	There are no returns on that date range.
5	Returns details not found.
XML with orders	XML with orders

GetPayments

Method: GetPaymentsParameters:

Field	Description	Туре	Required
Mytoken	String sent on the authenticate method	String	YES

Startdate	Initial date	Date	YES
Enddate	Enddate	Date	YES
Status	0: Active, 1:Inactive,2:Delete y "" ALL	String	NO
Page	Default value: 0 , you will send this field in sequence value depending of TAG "moreRecords" in the answer of the XML.	Numeric	NO

Value	Kind of Answer	
0	Startdate or enddate is not received.	
1	Mytoken is not received.	
2	Mytoken does not match.	
3	No payments in that date range.	
4	There are no payments on that date range.	
XML with orders	XML with orders	